

Determining the settings for an MQTT Transmission History Store



In release 4.0.19, major improvements were made to the disk-backed History Store. Details on determining the setting for an MQTT Transmission History Store for pre 4.0.19 modules can be found [here](#).

Introduction

MQTT Store and Forward allows data to be buffered locally at a client when connections are down to the MQTT Server infrastructure and deliver that data when the connection is restored. This feature is critical in most applications because if we lose connection to the MQTT Server we will lose data if it is not buffered locally. When Store and Forward is enabled and the edge node detects a disconnect to the MQTT Server, tags will be stored locally in a history store. When the edge node can reconnect to the MQTT Server, it will publish any stored tags. The rate at which these stored tags are flushed from the history store is configurable to prevent any delays in the delivery of live data.

Determining the settings for the MQTT Transmission History Store requires understanding the unique system properties at each Edge Node. There are a number of factors involved in determining how much history data can be stored including but not limited to system resources such as CPU, RAM (especially when using 'In-Memory'), Disk IOPS (if using 'Disk-Backed'), the nominal tag change rate (e.g. number of tags changing per second in the system), the flush rate, bandwidth availability, whether flushing in order vs asynchronously, etc.



Review the [MQTT Transmission Transmitters and Tag Trees](#) documentation for help in identifying your Edge Node(s) and Device(s).

MQTT Transmission History Store requires the following parameters:

- **Type**
 - The type of History Store with options of In-Memory and Disk-Backed
 - Data stored in an In-Memory History Store will not be persisted across a module configuration change, module disable/enable, module restart or power loss.
 - Data stored in a Disk-Backed History Store will persist across a module configuration change, module disable/enable, module restart or power loss.
- **History Max Age**
 - Maximum number of minutes to store history before dropping the data.
- **Flush Quantity**
 - The maximum number of tags to publish in a single message upon reestablishing communication.
 - Default 10,000
- **Flush Period**
 - The period to wait in milliseconds between publishes when flushing messages upon reestablishing communication.
 - Default 200

How to determine these settings

Testing is the best way to determine your settings for your Edge Gateway(s) and the recommended approach is to:

- Configure a History Store with a large storage time for your tags.
- Disconnect for a set time period
- Monitor the live updates for the count of tag change events and memory used from the Transmission Info History Store metrics.
- Reconnect and monitor the data flushing to ensure that the flush settings (quantity and period) are able to handle the current tag changes that continue to build.



Whilst the history flush is in progress, all new change events are written to the history store until it has been completely flushed. If the tag change rate at the Edge is faster than the MQTT Transmission Flush Period this can cause a build up of data in history store(s) and prevent the publishing of live data.

- Extrapolate based on the test



For ease of control we recommend setting a Primary Host ID in both [MQTT Engine](#) and in the [MQTT Transmission](#).

Removing the Primary Host ID from MQTT Engine will simulate the primary backend application going offline and cause MQTT Transmission to store data to the History Store.

Restoring the Primary Host ID to MQTT Engine will simulate that the primary backend application is online and cause MQTT Transmission to flush the stored data.