
Sending ROC Events to a Central Ignition Gateway

Prerequisites

- Installing Ignition
- Installing the following MQTT Modules on two Ignition systems
 - Ignition System 1 (Central Ignition Gateway)
 - MQTT Distributor
 - MQTT Engine
 - MQTT Recorder
 - Ignition System 2 (Remote/Edge Ignition Gateway)
 - MQTT Transmission
 - EFM Emerson ROC driver module

Overview

The EFM Emerson ROC module is capable of polling events from a ROC device based on a specified polling rate. With MQTT Transmission, these events can be published as Sparkplug records to an MQTT server. Any client subscribed on Sparkplug RECORD messages can receive these objects. In addition, MQTT Engine when combined with MQTT Recorder can also receive these messages and store these objects in a configured Ignition database. The following drawing shows the general architecture used to do this. This tutorial outlines the process of getting events to the central Ignition gateway.



Sending ROC Events to a Central Ignition Gateway

We must configure a total of five Cirrus Link modules on two different Ignition gateways to get event data flowing from an Emerson ROC device to a central database. These are:

- Central Ignition Gateway
 - MQTT Distributor
 - MQTT Engine
 - MQTT Recorder
- Remote/Edge Ignition Gateway
 - MQTT Transmission
 - ° EFM Emerson ROC

The configuration of each of these modules is covered below based on the Ignition gateway they're installed on.

Central Ignition Gateway Setup

MQTT Distributor can be left in its default configuration. Note in a production system you would likely want to set up TLS especially if MQTT connections are using the Internet.

MQTT Engine can also be left in its default configuration.

MQTT Recorder requires that a database be set up in Ignition. That can be done as described in the 'Connect to a Database' section here. Note Ignition supports additional database types. For more detailed information about supported types, take a look at the information provided here. Once a database is set up, MQTT Recorder can be configured. Do so by opening the Ignition Gateway Web UI and browsing to the Configure tab at the top of the screen and then selecting 'MQTT Recorder Settings' as shown in the lower left below.

Once there, select a Datasource as shown in the image below. This drop-down will be populated with any database connections set up in Ignition. Optionally, a Partition Period can be selected to segregated tables by time periods.


) C' 🏠	🗊 🗋 localhost:8	088/web/config/mqtt	recorder.settings?139	⊡ ☆	$\overline{\mathbf{A}} \gg$
on					Ladmin Sign Ou
ition				Help 🕼	Get Designer
SYSTEM	Config > > MC	TT Recorder Settings			
Overview	Trial Mode 1:06:	21 We're glad you're test o	driving our software. Have fun.		Activate Igniti
Backup/Restore					
Ignition Exchange					
Licensing		General Ta	bles		
Modules					
Projects Redundancy		Main			
Gateway Settings					
		Enabled	Enable the MQTT Recorder module		
NETWORKING			MySQL v		
Web Server		Datasource	The Datasource to use for storage		
Gateway Network			·		_
Email Settings		Partition Period	None v		
SECURITY			The period by which tables will be partitioned		
Auditing					-
Users, Roles					
Service Security			Save Changes		
Identity Providers					
Q Search		Note: For additiona	I details on configuring MQTT Recorder, see the documentation here		

At this point, the Central Ignition Gateway with MQTT Distributor, MQTT Engine, and MQTT Recorder is fully configured and ready to receive MQTT Sparkplug messages from the Remote/Edge Ignition Gateway. MQTT Distributor listens on TCP port 1883 by default for inbound MQTT connections. Make sure the Operating System's Firewall, Antivirus, and Malware protection services allow inbound connections on port 1883/TCP before proceeding.

Remote/Edge Ignition Gateway Setup

With the Central Ignition Gateway ready to receive MQTT/Sparkplug RECORD objects, the EFM Emerson ROC and MQTT Transmission modules can be configured on the Remote/Edge Ignition Gateway.

Start by configuring the MQTT Transmission module. Do so by opening Ignition Designer and creating a tag structure similar to what is shown below with [default]MQTT Tags/FB107 folders:



Note this structure is based on usage of the 'Example Transmitter' in MQTT Transmission in Ignition8. So, the directory structure is very important. Note the structure.

• [tag provider]MQTT Tags/[Device ID]/...

In the example below this implies the following definitions:

• [Device ID] = FB107

Note since we are using the 'Example Transmitter' of Ignition8 we also need to set the Group ID and Edge Node ID in the Example Transmitter. To do so, go to MQTT Transmission Settings on the left Ignition Gateway Web UI navigation panel. Then select the 'Transmitters' tab as shown below:

> C' û	🖲 🗋 localhost:	8088/web/config	g/mqtttransmis	sion.settings?	148					☑ ☆	$\overline{\tau}$ >
on											≗admin Sign
ition										Help 🕜	Get Design
SYSTEM	🌣 Config > Mqtttr	ransmission > MQ	TT Transmissio	n Settings							
Overview	Trial Mode 0:5	7:43 We're glad you	're test driving our	software. Have fu	n.						Activate Ign
Backup/Restore											
Ignition Exchange		General	Servers	Sets	Transmitters	Records					
Licensing Modules		General	Servers	5005	manamittara	Records					
Projects		Name		Enabled	Tag Provider	Tag Path	Set	History Store	Sparkplug IDs		
Redundancy									ober the too		-
Gateway Settings		Example Tr	ansmitter	true	default	MQTT Tags	Default		My MQTT Group/Edge Node c3420b	delete edit	i i
NETWORKING		→ Create ne	w Sottings								
Web Server		· create ne	W Settings								
Gateway Network											
Email Settings											
SECURITY											
Auditing											
Users, Roles											
Service Security											
Identity Providers											
Q Search											

Note that the 'Sparkplug IDs' are 'My MQTT Group/Edge Node c3420b' in this example. These exact values will be used for the EFM Emerson ROC connection Sparkplug parameters to tell the EFM Emerson ROC which MQTT Transmission Transmitter configuration to use and, in turn, which MQTT connection to use to send the alarm data on. So, to match the Transmitter configuration in this example, we must set the Sparkplug IDs in the Emerson ROC driver instance as shown below. Note the Group ID and Sparkplug ID are defined in the MQTT Transmission Transmitter configuration. The Device ID is being picked up from the Ignition default Tag Provider tag tree.

<) → ♂ ŵ	localhost:8088/web/config.	ppcua.devices?150	⊠ ☆	₹ »
A	Config > Opcua > Devices			
Home	Trial Mode 0:54:27 We're glad you'r	e test driving our software. Have fun.		Activate Ignition
.lii Status	Change Password?	Check this box to change the existing password.		
Config	Password	The password used to generate the PBE secret key for encrypting the digital signature		
	Password	Re-type password for verification.		
	Sparkplug			
	Group ID	My MQTT Group An ID representing a logical grouping of Edge Nodes and Devices		
	Edge Node ID	Edge Node c3420b An ID representing an Edge or Network (EoN) Node		
	Device ID	FB107 An ID representing a Device		
-	Show advanc	d properties		
A Search		Save Changes		

Next the MQTT Transmission server configuration must be modified to point to the Central Ignition Gateway we set up earlier. To do so, in the Ignition Gateway Web UI browse to the Configure tab on the top and then to MQTT Transmission Settings in the lower left as shown below.

In the MQTT Transmission Settings configuration, click the Servers tab. Then click 'edit' on the Chariot SCADA MQTT Server definition. Modify the URL to match the URL of the Central Ignition Gateway. In this example, MQTT Distributor is installed on a Central Ignition Gateway at the IP address of 192.168.2.174. Once the URL is modified to match the configuration, there should be a '1 of 1' in the Connected column as shown below.

SYSTEM Config > Mqttransmission > MQTT Transmission Settings	→ C' û	0 localhost:8088/web/config/mqtttransmission.settings?157		⊠ ☆	± »
SYTTM © Config > Mattransmission > MQTT Transmission Settings Overview Backup/Restore Ignition Exchange Ignition Exchange Ucersning General Setvers Set Redundancy Gateway Settings Name URL Setvers Connected Chariot SCADA tcp://192.168.2.174:1883 Default admin 1 of 1 delete: or Create new MQTT Server Setvings Networkscience Vubris, Roles Service Security	/			Help 🔞	≗admin Sign O Get Designe
Statu Activate Igni Overview Trial Mode 0:52:08 We're gid you're text driving our software. Howe In. Activate Igni Derview Backup/Restore Ilicensing Modules General Servers Pojects Settings Certificates Name URL Server Set Username Chariot SCADA tcp://192.168.2.174.1883 Default admin 1 of 1 Web Server Gateway Network Freate new MQTT Server Server Set Username Connected Security Note: For additional details on configuring MQTT Transmission, see the documentation here Note: For additional details on configuring MQTT Transmission, see the documentation		Config > Mattransmission > MOTT Transmission Settings			
Backup/Restore Icensing Modules Projects Redundancy Gateway Settings Name URL Server Set Gateway Network Email Settings Notice: For additional details on configuring MQTT Transmission, see the documentation Note: For additional details on configuring MQTT Transmission, see the documentation					Activate Ignit
General Servers Sets Transmitters Records Modules Projects Settings Certificates Redundancy Gateway Settings Image: Certificates Image: Certificates Name URL Server Set Username Connected Metwork Kings Chariot SCADA tcp://192.168.2.174.1883 Default admin 1 of 1 deleter edit Steway Network Email Settings - Create new MQTT Server Image: Certificates <					
Luceshing Settings Certificates Modules Projects Settings Certificates Redundancy Gateway Settings Name URL Server Set Username Connected Networkince Chariot SCADA tcp://192.168.2.174:1883 Default admin 1 of 1 delete Web Server Gateway Network - - - - - Setury Create new MQTT Server - - - - Setury Setvings - - - - Users, Roles Service Security Note: For additional details on configuring MQTT Transmission, see the documentation - - -	Ignition Exchange				
Projects Settings Certificates Name URL Server Set Username Connected Chariot SCADA tcp://192.168.2.174:1883 Default admin 1 of 1 delete edit Veb Server Catariot SCADA tcp://192.168.2.174:1883 Default admin 1 of 1 delete edit Settings - Create new MQTT Server Image: Server Set Security Settings Settings Image: Server Set Security Settings Se		General Servers Sets Transmitters Records			
Redundancy Gateway Settings Settings Certificates Name URL Server Set Username Connected Material Settings tcp://192.168.2.174.1883 Default admin 1 of 1 deleter edit Settings + Create new MQTT Server - Create new MQTT Server - Vertificates - Vertificates - Vertificates Settings + Create new MQTT Server - Vertificates - Vertificates - Vertificates - Vertificates Settings - Create new MQTT Server - Vertificates - Vertificates - Vertificates - Vertificates Settings - Vertificates - Vertificates - Vertificates - Vertificates - Vertificates Vertificates - Vertificates - Vertificates - Vertificates - Vertificates - Vertificates Vertificates - Vertificates - Vertificates - Vertificates - Vertificates - Vertificates Vertificates - Vertificates - Vertificates - Vertificates - Vertificates - Vertificates Vertificates - Vertificates - Vertificates - Vertificates - Vertificates - Ve	_				
Gateway Settings Name URL Server Set Username Connected Web Server Gateway Network Email Settings tcp://192.168.2.174:1883 Default admin 1 of 1 delete edit • Create new MQTT Server • Create new MQTT Server Image: Service Security		Settings Certificates			
Name URL Server Set Username Connected Web Server Chariot SCADA tcp://192.168.2.174:1883 Default admin 1 of 1 delete edit Gateway Network Email Settings - - - - - - Stevarty Auditing Users, Roles Service Security Note: For additional details on configuring MQTT Transmission, see the documentation here - - -					
Web Server Chariot SCADA tcp://192.168.2.174:1883 Default admin 1 of 1 delete edit Gateway Network Email Settings - Create new MQTT Server - Create new MQTT Server - Create new MQTT Server Auditing Users, Roles Service Security Note: For additional details on configuring MQTT Transmission, see the documentation here		Name URL Server Set	Username Connected		
verso server For additional details on configuring MQTT Transmission, see the documentation here Secverity Note: For additional details on configuring MQTT Transmission, see the documentation here Secverity Secverity		Charles CCADA Ann//100.100.0.174.1000 Default	admin 1 of 1	delete	
Email Settings → Create new MQTT Server SECURITY Note: For additional details on configuring MQTT Transmission, see the documentation here Auditing Note: For additional details on configuring MQTT Transmission, see the documentation here Service Security Service Security		Charlot SCADA (CP://192.168.2.174.1883 Default	admin 1 of 1	delete	
SECURITY Note: For additional details on configuring MQTT Transmission, see the documentation Auditing here Users, Roles Service Security		Croate new MOTE Server			
Auditing Note: For additional details on configuring MQTT Transmission, see the documentation Users, Roles Service Security	Linan Settings				
Auditing here Usiers, Roles Service Security	SECURITY				
Service Security	Auditing				
luening violates					
	Identity Providers				

The next step is configuring the EFM Emerson ROC module. This is done as described in the Emerson ROC Configuration manual. In going through the basic setup and configuration for Event configuration the following steps must be performed:

- 1. Define the global TLP definitions available for all ROC devices in this Ignition instance
- 2. Upload the Configuration Mappings for all ROC devices in this Ignition instance
- 3. Create the base device connection to the ROC
 - a. The 'Event Scan Rate' in this connection configuration must be greater than zero to tell the driver to poll for event data at the specified rate
 - b. Set the Sparkplug Group ID, Edge Node ID, and Device ID that represent this device. These will be used again later in the MQTT Transmission configuration.
- 4. Specify the subset of global TLP definitions that this specific ROC uses

These steps can be skipped if not configuring the driver to poll for TLP data:

- 1. Create TLP Template(s) which define groups of TLPs should be polled as a logical group
- 2. Create TLP Poll Group(s) which specify the logical parameters associated with a given TLP Template
- 3. Use Ignition designer to pull tags into a tag provider

At this point the EFM Emerson ROC driver is configured and is polling for event data at the rate specified in the EFM Emerson ROC device configuration.

MQTT Transmission is connected to the MQTT Server and as a result MQTT Engine is receiving tag change events. In addition, because an EFM Emerson ROC device has been created and configured with the same Sparkplug Group ID, Edge Node ID, and Device ID, events will also be pushed to the MQTT server as Sparkplug RECORD objects. When event are discovered by the EFM Emerson ROC driver, they will be published to the MQTT server, consumed by MQTT Engine, passed on to MQTT Recorder, and then inserted into the specified database. Below is an view of some event records using a third party database viewing tool.

					nost/test/rs_efm_mete					
test	• 🛃	1			<u>~</u>				<	
Select Database	Structu	e Content Relat	ions Trig	gers Table Info	Query				Table His	story Users Cons
Q Filter			Searc	h: rs_id	۵ =	0 • Q				Filter
ABLES		rs	_id rs	type	rs_group	rs_edge_node	rs_device	rs_record_time	rs_recorder_time	rs_fields
rs_efm_meter_alarm			1 EF	M METER EVENT	My MQTT Group	Edge Node c3420b	FB107	1570049304000	1596576994974	val 9,old_val 9,op
rs_efm_meter_configuration			2 EF	M_METER_EVENT		Edge Node c3420b	FB107	1570057338000		val 9,old_val 9,or
rs_efm_meter_event			3 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570060652000	1596576995003	val 9,old_val 9,op
sqlt_data_6_2019_06			4 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570204985000	1596576995017	val 9,old_val 9,o
sqlt_data_6_2019_07			5 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570214887000	1596576995032	val 9,old_val 9,o
sqlt_data_6_2019_08			6 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570215315000	1596576995046	val 9,old_val 9,o
🔜 sqlt_data_6_2019_09			7 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570563753000	1596576995061	val 9,old_val 9,o
sqlt_data_6_2019_10			8 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570563778000	1596576995077	val 9,old_val 9,o
sqlt_data_6_2020_01			9 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570563832000	1596576995092	val 9,old_val 9,o
sqlt_data_6_2020_02			10 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570564106000	1596576995119	
sqlt_data_6_2020_03			11 EF	M_METER_EVENT	My MQTT Group	Edge Node c3420b	FB107	1570564124000	1596576995134	
BLE INFORMATION				M_METER_EVENT		Edge Node c3420b	FB107	1570564248000	1596576995149	
created: 8/4/20				M_METER_EVENT	,	Edge Node c3420b	FB107	1570564776000		val 9,old_val 9,o
updated: 8/4/20				M_METER_EVENT	, , ,	Edge Node c3420b	FB107	1570564776000		val 9,old_val 9,o
				M_METER_EVENT		Edge Node c3420b	FB107	1570564911000		val 9,old_val 9,o
engine: InnoDB				M_METER_EVENT		Edge Node c3420b	FB107	1570573399000		val 9,old_val 9,o
orows: 224				M_METER_EVENT		Edge Node c3420b	FB107	1570642515000		val 9,old_val 9,o
size: 112.0 KiB				M_METER_EVENT		Edge Node c3420b	FB107	1570642533000	1596576995242	
encoding: latin1				M_METER_EVENT		Edge Node c3420b	FB107	1570646133000	1596576995258	
auto_increment: 225			20 FF	M METER EVENT	Mv MOTT Group	Edge Node c3420h	FB107	1570646300000	1596576995272	vall9.old vall9.o

Additional Resources

- Azure Injector download with free trial
- https://inductiveautomation.com/downloads/third-party-modules Questions about this tutorial?
 - Check out the Cirrus Link Forum: https://forum.cirrus-link.com/
 Contact support: support@cirrus-link.com
- Sales questions

 Email: sales@cirrus-link.com
 Phone: +1 (844) 924-7787

 About Cirrus Link

 - - https://www.cirrus-link.com/about-us/